Universal Library of Arts and Humanities Manual

ISSN: 3064-9943 | Volume 1, Issue 1

Open Access | PP: 51-66

DOI: https://doi.org/10.70315/uloap.ulahu.2024.0101010

The Bailenko Method - Architecture of Men's Haircutting: Form, Face and Grow-Out

Viktor Bailenko

Abstract

This manual presents the Bailenko Method as a single working framework. Its form layer describes how a men's haircut is built: the barber reads the face, head and hair before selecting a tool. Its perception layer asks how the haircut, beard, line, volume and color alter the visual impression of the face. Its time layer follows the silhouette during the weeks between visits. The three layers answer distinct practical questions but form one system of decisions made in the chair.

The manual is written for working barbers, for students preparing for licensure and for educators. The method does not replace classical cutting geometry or rename established techniques. Its authorial contribution is the order of analysis and the way face, head anatomy, growth direction and technical planning are connected. When a chapter draws on published research about faces, heads or hair, the study is cited; the method's design rules remain the author's professional proposals rather than experimentally validated outcomes. Each chapter closes with a practice task. Cases are teaching models, not documented client histories, and chemical services must follow manufacturers' instructions, licensing requirements and safety rules.

Contents

Part I. Foundations of the method ---- 52
1. A haircut as architecture ---- 52
Shape before technique ---- 52
Visual objective ---- 52
How the form grows out ---- 52
2. Five stages and three layers ---- 52
3. Reference images and the error of copying ---- 53
Part II. The face: form and perception ---- 53
4. The face as composition ---- 53
Vertical and horizontal ---- 54
Contrast and the visual focal point ---- 54
Light, shadow and mass ---- 54
The Bailenko Optical Map ---- 54
5. The three thirds of the face ---- 54
6. Proportions without labels ---- 55
7. Beard, mustache and glasses ---- 55
8. Asymmetry ---- 56
Part III. The head and the hair ---- 57
9. The skull as a surface ---- 57
10. Hair as material ---- 58
Part IV. Technique and forms ---- 59
11. Building the form ---- 59
12. Forms: short, classic, medium and beard ---- 60
13. Color and surface ---- 60

Part V. Time: the architecture of grow-out ---- 60
14. Time as the fourth dimension ---- 60
15. Critical length ---- 61
16. Mass and contrast through time ---- 61
17. Designing the visit cycle ---- 62
Part VI. Consultation, documentation and control ---- 62
18. Consultation without evaluative labels ---- 62
19. Documentation ---- 63
20. Final control ---- 63
Part VII. Teaching and practice ---- 64
21. Teaching the method ---- 64
22. Teaching models ---- 64
Conclusion ---- 65
References ---- 65

PART I. FOUNDATIONS OF THE METHOD

1. A Haircut as Architecture

A haircut becomes professional architecture at the moment the barber stops starting with the tool [1]. Before clippers or scissors there is a task: to change or to keep the proportions of a particular person. The client does not need an abstractly ideal haircut. He needs a form that works on his face and his head, behaves predictably after washing and remains convincing as it grows out [1].

This approach also matters in a largely self-employed trade. In a February 2024 analysis of 2022 U.S. labor statistics, Hale and Farrell [1] reported 63,100 employed or self-employed barbers, 79% of whom were self-employed, and projected 7% occupational growth between 2022 and 2032. A returning clientele therefore matters to many independent practitioners. In a study of 455 female hair-salon customers in Ghana, Xiao et al. [2] found a positive relationship between customer participation in value co-creation and loyalty. That result should not be treated as a direct estimate for U.S. barbershops. Barbershops and salons can also have a community role: Palmer et al. [3] reviewed health-promotion interventions delivered through these settings. Together, these studies support attention to client communication while leaving the specific commercial effect of the Bailenko Method untested.

Shape before Technique

Before a guard, an angle or a pair of scissors is chosen, there must be a form the barber wants to obtain. If the silhouette has not been defined, technical cleanliness easily becomes a goal in itself and may contradict the face or the head of the client. Control is performed with the hair in its natural position: first the large form, then the details. If a change cannot be read from a distance, further work on it may be unnecessary [1].

Visual Objective

The visual objective is stated briefly and in a form that can be checked: keep the width, add vertical emphasis, soften the profile, support a natural asymmetry. Such a sentence gives a criterion for every later action. It also helps to compare two options before the first cut, what happens if the mass is kept and what happens if it is removed, which reduces the risk of automatic decisions [1].

How the form Grows Out

The form is also judged after the client has left. Weight distribution, natural growth and the stiffness of the contour decide how quickly the silhouette loses structure, so stability after washing and during grow-out belongs to the initial plan [1]. A good local decision should not create a new problem in the neighboring zone.

Principle. Technique is correct only when it serves the selected form.

Practice. Before the first cut, write the objective of the haircut in one sentence. After the service, compare the starting and the final silhouette and mark which decisions changed the form and which were only technical finishing.

2. Five Stages and Three Layers

The method is a sequence of decisions, and breaking the order often produces technically clean work that does not fit the person [1]. At the Face stage the barber defines not the name of a haircut but the visual task: what should become higher, wider, calmer or more expressive. At the Head stage this task is translated onto the real surface of the head, because the same length on different planes gives a different shadow and a different silhouette. At the Growth stage the barber reads direction, resistance and the natural fall of the hair and sees where the chosen length will fight growth after the first wash. Technique comes only now: clippers, scissors, elevation and texturizing are ways of producing a length, weight, direction and surface that have already been designed. Balance closes the sequence: the barber steps back from the details and compares top, sides, profile and front, so that no zone looks accidentally heavy, empty or detached [1].

The framework has three analytical layers. The form layer builds the silhouette. The perception layer asks how this form affects the visual impression of the face and uses the chain feature, effect, mass, direction, contrast, correction. The time layer asks how the silhouette behaves between visits and follows the chain form, growth, mass, time, balance. Figure 1 illustrates how these layers sit on the five stages; the sequence is the author's proposed working method.




Figure 1. Five stages and three analytical layers of the Bailenko Method (author's schematic)

Table 1 sets out the same structure as a reference that the reader can return to while working through the manual. Each layer has its own guiding question, its own tool and its own control step at the end of the service.

Table 1. The three layers of the Bailenko Method (author's framework)

Layer	Guiding question	Decision sequence	Main working tool	Control at the end
Form	How is the form built for this face and this head?	Face, Head, Growth, Technique, Balance	Bailenko Mapping and the consultation map	Final control in the five stages
Perception	How does the haircut change the way the face is perceived?	Feature, Effect, Mass, Direction, Contrast, Correction	Optical Map and the correction matrix	Optical check: front, profile, three-quarter view and movement
Time	How will the form behave until the next visit?	Form, Growth, Mass, Time, Balance	Growth Map, the 0/7/14/21/30 protocol and the Growth Score	Growth check: five questions before the client leaves

The formula of the whole system fits in one line: the face chooses the form, the head corrects it, the growth of the hair dictates the technical path, technique builds, and balance confirms the result [1].

Practice. Take one model and pass through the five stages in writing. Do not move to the next stage until you can explain the decision taken at the previous one.

3. Reference Images and the Error of Copying

A reference image is useful as a language of taste and dangerous as a blueprint [1]. The model in the photograph and the client in the chair differ in face, skull, hairline, density and daily habits. What can be borrowed is the mood of the image: the character of the texture, the approximate length range, the degree of contrast. What must be adapted is everything that depends on anatomy: the height of the fade relative to the parietal ridge, the outline relative to the natural hairline, the distribution of mass relative to the shape of the head, and the styling routine relative to the time the client is ready to spend. The explanation to the client follows the same division. The barber names what will be kept from the reference and what will change, and why.

Practice. Take one client reference. Write separately what can be kept as mood and what has to change because of the face, the head, the growth and the density of the hair.

PART II. THE FACE: FORM AND PERCEPTION

4. The Face as Composition

The face is the first object of analysis because the intended silhouette is designed around an individual client. In the proposed optical framework the face is read through contour, focal point and the frame created by the hair. These elements are assessed separately and then as one visual impression. The barber first looks at the hair in its natural state and distinguishes between the person's existing features and the visual effects introduced by the hairstyle.

Experimental work supports a narrower claim about attention: Thompson et al. [4] found that viewers tend to direct their first fixation to the eyes, even when instructed to look at the mouth. This does not demonstrate that every haircut frames the face in the same way. Hair nevertheless can influence judgments: Wade et al. [5] studied how cranial

hair alters impressions of men's attractiveness and other traits. The Optical Map treats hair as an adjustable visual frame, but its proposed effects for individual clients require assessment rather than assumption.

Vertical and Horizontal

A barber controls two primary directions. Top volume, an open forehead and short sides increase the vertical; lateral mass and horizontal movement increase width [1]. Balance appears not in figures but in the comparison of these forces, and adding height does not automatically make a face look longer [2].

Contrast and the Visual Focal Point

Contrast can be tonal, linear or textural. The larger the difference between neighboring zones, the faster the eye stops at the border between them [2]. In barbering that border may be a hairline, a high quiff, a light strand, a dark beard or a sharp outline. Several strong accents start to compete, so the barber decides in advance where the viewer should look first.

Light, Shadow and Mass

A dark, dense zone looks heavier and deeper; a light, sparse zone looks lighter. On short hair the effect is stronger because the scalp is close to the surface [2]. The barber identifies the dominant force in the composition (vertical, horizontal, diagonal, dark mass or open skin) and uses a technical step only when it is clear which of these forces it will strengthen or weaken.

The Bailenko Optical Map

The Optical Map disciplines the consultation: first the observation is recorded, then the intended effect, and only after that the mass, direction, contrast and technical step [2]. Figure 2 shows the chain together with a worked example, because the order of the questions matters more than any single answer.




Figure 2. The Bailenko Optical Map with a worked example (author's schematic)

Principle. Effect first, tool second. A face is not fixed; its visual perception is designed [2].

Practice. Use a photograph of the client before the haircut. Mark the main focal point and two dominant lines. Describe what you want to change in perception without the words bad, wrong or defect, and compare the result with this objective after the service.

5. The Three Thirds of the Face

The optical layer divides the face into upper, middle and lower thirds. Each feature is paired with a question and a working limit: a prompt for checking a design decision, not a universal prohibition. Table 2 presents these authorial heuristics as a practical reference rather than experimentally established rules for every facial type.

Table 2. Features of the three facial thirds and their working limits (author's schematic)

Third and feature	What to analyze	Working limit (control signal)	Check
Upper: high forehead	Real forehead height versus the overall impression of a long face	A heavy straight fringe can look artificial	Open, partly covered and directed fringe
Upper: low forehead	Short distance between brows and hairline	Dense frontal mass compresses the upper third further	Open line and a soft lift of the front
Upper: recession	Depth of the corners together with density, direction and length nearby	A hard outline emphasizes the difference in density	Direction in the corners on dry hair
Upper: irregular hairline	Natural asymmetry of the frontal edge	Symmetry created with clippers disappears as hair grows	Photo before outlining and after minimal correction

Upper: frontal mass	Volume of the first centimeters of the top, from the front and in profile	Volume without a profile check can weigh down the nose or forehead	Up, forward and diagonal directions
Middle: cheekbones	Maximum width of the middle third	A zero transition does not always make the face look narrower	Dense and open temple in a frontal photo
Middle: nose from the front	The central vertical and its contrast	Trying to hide the nose draws attention to the center	Central and offset styling
Middle: nose in profile	The chain of forehead, nose, lips and chin and the answering line of the occiput	The profile cannot be judged from the frontal zone alone	Profile with a flatter and a fuller occiput
Middle: eyes and brows	The horizontal line of the gaze	A graphic fringe makes the gaze look heavier	Soft and hard frontal line
Middle: ears	Lateral points of the silhouette	Removing all mass around the ear can make it more visible	Open temple and retained side support
Lower: wide jaw	Horizontal force of the lower contour	Adding width to the beard can overload the lower third	Short and elongated beard
Lower: narrow jaw	Lack of visual width below	A long pointed chin narrows the silhouette further	Two beard widths
Lower: chin and neck	Projection of the chin and the transition from head to body	A beard line set too high shortens the lower face	Profile before and after the neckline

The table repeats one idea in thirteen forms. A feature is never corrected by being hidden, because hiding usually adds attention to it. It is either supported, softened or balanced by a decision in another zone, and every such decision is checked from the front and in profile [2].

Practice. Photograph the client from the front, in profile and in three-quarter view. On each photograph mark height, width and the focal point, then state one objective without labels such as round or square [1].

6. Proportions without Labels

Labels such as round or square describe several features at once and say little about how to cut. The method instead considers the dominant force of the composition and the client's wish to support or soften it. Table 3 presents the six compositions used in the perception layer as practical, client-dependent strategies.

Table 3. Compositions of the face, their dominant force and the working strategy (author's schematic)

Composition	Dominant force	Working strategy	Control signal
Elongated	Total vertical: hair height plus open face plus beard length	Reduce extra height, keep useful side support	Short sides with a high top usually amplify the vertical
Wide	Horizontal	Directed vertical that reads as part of the head	Very narrow sides make the center of the face more massive
Round	Soft contour without marked angles	Introduce direction and structured points where the client wants them	Hardness for its own sake conflicts with texture and style
Square	Strong horizontals and angles	Support the architecture or add movement to soften it	Too many straight lines make the image static
Triangle and inverted triangle	Different width of the upper and lower thirds	Redistribute mass between temples, top and beard	The same fade has opposite effects on different proportions
Diamond	Width at the cheekbones with narrower upper and lower thirds	Do not add width at the same point; move volume above the temple	An empty temple makes the cheekbones dominate

The table is a starting position. Two clients with the same composition may want opposite things, and the strategy follows the agreed objective, not the category.

Practice. On one model design two sketches: one with strengthened vertical emphasis and one with preserved width. Explain which of them supports the agreed objective and why [1].

7. Beard, Mustache and Glasses

The beard is a continuation of the architecture of the face [1]. It works at once as mass, as contour and as a patch of color, so it is designed together with the haircut and not added after it [2]. The cheeks, the lower line and the transition to the temple belong to the same plan as the sides of the haircut. Elongation under the chin adds vertical, lateral density adds width, and the loss of contour softens the geometry of the jaw [3].

The beard also changes how expression and character are read. Dixson et al. [13, pp. 347-362] showed 106 participants the same men with a full beard, with stubble and clean-shaven. Full beards raised masculinity ratings above stubble and clean-shaven faces regardless of expression, angry expressions were recognized faster on bearded faces, and bearded smiling faces were rated more prosocial than the other versions. A beard therefore carries meaning beyond the shape of the jaw, and its design starts from what the client wants to communicate.

A mustache sits near the visual center of the face and may function as a strong tonal accent. Glasses introduce their own lines and contrasts and therefore belong in the initial design assessment. Claims that specific shapes necessarily make a person look younger, more mature or more trustworthy should not be presented as experimentally established. Here the barber checks such impressions with the client and treats them as individual design objectives.

Practice. Design one beard scheme for the front view and one for the profile, and try the working form with and without the client's glasses. Beard and haircut should read as one architecture [2].

8. Asymmetry

Faces are asymmetric. The method does not demand identical cutting actions on the right and left; it aims for a coherent visual result. Wu et al. [7] assessed facial symmetry using three-dimensional data from 330 young adults; 267 faces met the raters' agreement criteria for detailed comparison. Among faces considered symmetric by lay observers, the central forehead showed 95.32% symmetry and the lateral mandible 74.30%, using a 1 mm tolerance (Figure 3). These regional differences support examining temples, sideburns and the jawline separately rather than mechanically mirroring the haircut.




Figure 3. Symmetry degree of facial regions in faces rated symmetric and asymmetric by lay observers (compiled by the author based on [7])

Other evidence reinforces the need to evaluate asymmetry by region rather than to assume a universal facial template. Harnádková et al. [8] analyzed 300 three-dimensional adult facial models and reported that directional asymmetry was more pronounced in the youngest group of men, aged 20–40, than in older male groups. This study did not test how a particular haircut should compensate for asymmetry. Accordingly, the method makes individual observation the basis of each design decision.

Perception also depends on the observer and on the feature being measured. In an experiment based on altered facial photographs, Alrbata et al. [9] found that a 4 mm chin deviation was the threshold for laypersons and general dental practitioners, whereas orthodontists and maxillofacial surgeons detected a 2 mm deviation. In a separate simulation study, Zhang et al. [10] found that orthodontists were more sensitive to facial asymmetry than laypersons and that chin asymmetry was relatively easy to recognize. Findings on attractiveness should not be reduced to a single rule: Harun et al. [11] found that raters frequently preferred artificially symmetrized photographs, in a study of 30 Malay subjects and 100 assessors. These contexts differ from consultations in a barbershop, but they caution against treating either perfect symmetry or every measurable deviation as a mandatory cutting objective.

The optical layer translates these observations into working rules. If hairline corners differ in height, the barber first checks the natural density and direction of each side rather than automatically carving a matching line. Temples and ears are compared from the front and profile, and asymmetry can be preserved or optically compensated depending on the client's preference. Figure 4 is the author's diagnostic zone map; it is not a published clinical measurement instrument.




Figure 4. Zone map for diagnosing side differences (compiled by the author based on [7; 12; 13; 14])

Principle. Visual balance does not require mechanical symmetry [2].

Practice. Photograph both sides in the same light and mark different accents. Write down two situations in which the same technical action would give a different visual result on the two sides [1].

PART III. THE HEAD AND THE HAIR

9. The skull as a Surface

After the facial objective is defined, the barber studies the surface on which the form will be built [1]. On a convex zone mass appears quickly, on a flat zone it often has to be kept, so length is used to correct relief and not to repeat it. The parietal ridge is the main transition between side and top, and a mistake there changes the width of the whole head: early weight removal narrows the silhouette and exposes the relief, while excess mass creates a shelf [1]. A flat and a prominent occiput need different length distribution, because the same guard does not give the same visual result. The temple links face and head, and clearing it too high can narrow the face and break the composition [1].

Uneven heads are common. In a computed tomography series, Nagaishi et al. [12] found cranial vault asymmetry of 5 mm or more in 54 of 160 adult control cases (34 percent). The series is Japanese and hospital based, so the figure gives an order of magnitude rather than a norm. Zhang et al. [15] built statistical models from 1,496 head scans of adults aged 18 to 84; the first five principal components explained more than 76 percent of shape variation, which means that heads differ along several independent dimensions and cannot be sorted into a few types.

Mass is an area of visual density, and the method decides in advance where it should remain and where it should disappear [1]. Figure 5 is a mass map in profile. It is drawn because the four zones and the two reference lines, the parietal ridge and the weight line, are easier to locate on a head than in words.




Figure 5. Mass map of the head in profile (author's schematic)

Practice. Look at the client from two to three meters and mark the three masses that stand out. Inspect the head from above, from the side and from behind, mark planes and prominences, and indicate where length must compensate the relief instead of repeating it [1].

10. Hair as Material

Hair growth is the third stage of the method and determines how the chosen form can be achieved technically. The barber draws a growth map with arrows on the temples, the crown and the neckline and notes for each zone where cutting with the growth keeps control and where another direction will be needed. A cowlick is not a defect but a direction of force inside the material. Its behavior is individual: Luo et al. [14, pp. 2065-2068] identified four genetic loci associated with the direction of the scalp whorl in cohorts of 2,149 and 1,950 participants and concluded that the trait is polygenic. The frontal frame is individual as well. Among 122 Japanese men studied by Kashiyama et al. [13], the frontal hairline was linear in 45.9 percent and M-shaped in 42.6 percent, and the temporal hairline had an inverted triangle form in 65.6 percent.

Density is the number of hairs; diameter is the thickness of one hair. The two are not confused when texturizing is chosen. Both also vary over the head. Alsharif and AlGhamdi [16, pp. 2737-2743] measured hair density and diameter in three scalp regions of 120 healthy adults (Figure 6). The chart is included because it shows why one guard length can give a lighter tone at the front of the head than at the back.




Figure 6. Hair density and diameter by scalp region in 120 adults (compiled by the author based on [26])

Straight hair makes section lines and weight distribution easy to see, so the finished form is checked in its dry, natural state. For wavy or curly hair, the design should account for visible shrinkage and spring-back after cutting under tension. With thinning hair, the aim is to work with the observed density rather than rely on an appearance that can be maintained only by styling. The conversation should avoid presuming psychological distress: in a systematic review and meta-analysis first published online in August 2023, Frith and Jankowski [17] identified 37 eligible studies of male androgenetic alopecia and found, overall, limited evidence of severe mental-health effects, although some quality-of-life impact was reported. The barber should respond to the client's expressed concerns rather than assign them in advance. Table 4 summarizes the practical properties of the material.

Table 4. Hair properties and grow-out considerations (author's synthesis informed by [14; 16; 17])

Parameter	On the day of the cut	Over the following weeks	Barber's response
Growth direction and cowlicks	Decides where the chosen length lies by itself	An intermediate length often makes the zone stand up	Keep a reserve of length or pass the phase short; judge dry
Density	Sets how solid the surface looks	In a dense zone short growth quickly changes the tone	Distribute weight in advance; keep support in sparse zones
Diameter and stiffness	Coarse hair builds visible mass sooner	Coarse hair pushes away from the head early; fine hair stays soft longer	Plan temple and nape reserves carefully; do not over-thin fine hair
Wave and curl	Shrinkage shortens the visible length	Curl may first tighten, then drop under its weight	Cut with low tension; photograph in the natural dry state
Thinning	Contrast with the scalp becomes visible	Transparency increases if support is removed	Work with real density; no styling that needs daily camouflage

Practice. Find all cowlicks before wetting the hair. For each one, define a safe length and direction, then check the result after full drying without forced styling [1].

PART IV. TECHNIQUE AND FORMS

11. Building the Form

Length always performs a function: weight, connection, direction, volume or texture [1]. A guide is an instrument of accuracy; clean sections exist so that the length reproduces the planned silhouette, and the cross-check tests the logic of the construction in the opposite direction [1]. The angle at which a section is lifted decides where weight remains. The lower the elevation, the more density stays at the perimeter; raising it moves mass into the form [1]. Figure 7 shows the four reference angles, because the technique becomes clear when the barber sees the geometry rather than memorizes a movement.




Figure 7. Elevation and the distribution of weight (author's schematic)

Graduation accumulates weight and gives the form support; the move to layers is made when further accumulation no longer serves the objective. Layers give movement and redistribute mass, but they should not automatically mean maximum lightening, and the perimeter is kept where it holds the silhouette [1]. Clippers are a precise tool for changing length, not a substitute for an architectural decision: the exit angle, pressure and direction of the pass affect the shadow as much as the guard number. A fade is a gradation and not the name of the whole haircut, and its height is chosen from the face and the head [1]. In scissor over comb the comb creates a temporary plane and the scissors remove only what crosses it, which allows a finer correction of relief than a fixed guard. Texturizing is used only for a specific function, and the outline completes the form without replacing it [1]. Table 5 brings these techniques together.

Table 5. Techniques and what they control (author's schematic)

Technique	What it controls	Use it when	Typical error
Guide, sections, cross-check	Accuracy of length	Any form that must be reproduced	No cross-check, so deviations stay hidden
Elevation	Where weight remains	The silhouette needs weight at a chosen height	Copying an angle without seeing the result
Graduation	Accumulation of weight and support	The form needs a base at the perimeter	Too heavy: the form turns massive within weeks
Layering	Movement and internal mass	The form must work in motion	Removing the perimeter together with the weight
Clippers and fade	Light and dark zones on the head	Height of the transition is chosen from the silhouette	Raising the fade for cleanliness alone
Scissor over comb	Fine transitions and shadow	Relief needs correction finer than a guard	Chasing every dark point and losing needed weight
Point and channel cutting	Movement inside a built form	A specific zone needs mobility	Automatic texturizing that later gives transparent ends
Outline	Completion of the contour	The line supports the form and the natural growth	An artificial line that breaks down as it grows

Practice. On a training section compare the result at 0, 45 and 90 degrees. Judge the length and also the place where the visual mass remains [1].

12. Forms: Short, Classic, Medium and Beard

The shorter the hair, the more the skull is visible, so short forms need a precise reading of the surface [1]. A buzz cut or a crop leaves little length to compensate relief and shows the shape of the head, the hairline and the distribution of density clearly; before reducing length the barber should know which features will become more visible. A short fade decides where the light and dark zones sit on the head. Classic forms are built on control of direction and side mass. A side part, a taper or an executive contour keeps its character without heavy product and respects the natural parting, growth and relief [1]. At medium length the form has to work in motion: perimeter, internal weight and styling direction are marked separately, and styling supports the construction instead of hiding errors in it [1]. The beard is designed as a continuation of the haircut through the cheeks, the lower line and the transition to the temple, and the check covers the whole profile as well as the symmetry of the contour [1].

Practice. Choose one short form and define its silhouette first. Only then decide whether a buzz, a crop or a short fade is the technical language to deliver it [1].

13. Color and Surface

Lightening changes the shade and also the visual density and the texture of the hair, and safety and the manufacturer's instructions always stand above the design idea. The chemistry explains why. Gillece et al. [18, pp. 519-546] showed that bleaching breaks cystine cross-links in the cuticle and cortex and forms cysteic acid, that the process advances from the outer cortex inward by diffusion, and that tryptophan and cystine levels drop quickly as bleaching continues. A bleached surface therefore handles differently under the clipper and the scissors, and the barber diagnoses the starting state and the desired effect before the procedure and judges the process by the plan of the form, not only by the degree of lightness.

Toning should account for the observed background of lightening, porosity and the intended relationship between color and form. On short hair the products may sit close to the scalp, so the manufacturer's safety instructions remain decisive. Light and dark zones can be used to vary perceived contrast. Gray hair creates its own tonal pattern; the practitioner and client can choose to preserve, accentuate or soften it. The manual does not assign universal age, attractiveness or trustworthiness effects to gray hair, since individual judgments need separate evidence. A beard also requires careful shade selection because it lies directly against facial skin.

PART V. TIME: THE ARCHITECTURE OF GROW-OUT

14. Time as the Fourth Dimension

A client wears the fresh salon result for hours and the growing haircut for weeks. After the first wash, part of the styling control disappears; density, contour and the distribution of mass then change. The design therefore begins with a question: how will the form behave without the barber's hands? The time layer describes four practical stages of grow-out—stabilization, mass accumulation, balance shift and new form. Their boundaries are individual and depend on length, density, growth direction and the client's habits. Figure 8 shows these stages with teaching checkpoints and example visit cycles; the day markers are illustrative, not a measured universal growth schedule.




Figure 8. The four lives of a haircut, the photo checkpoints and typical visit cycles (author's schematic)

Biology gives only the frame. Natarelli et al. [19] describe an anagen phase of about two to eight years for scalp hair, a catagen phase of about two weeks and a telogen phase of two to three months, with about 9 percent of scalp hair in telogen, and cite a growth rate of about 1 cm per month. Average values are useful only as a general reference. Physical length gain is not the same as visual change: one millimeter at almost zero length is more visible than the same millimeter on a long top. In a fade the contrast between skin and hair changes first, in a scissor form the movement of a strand or the position of the perimeter, and in a beard a small gain in length quickly changes the density of the lower third.

The calendar tells how much time has passed; architecture tells what has changed [3]. Two clients may look completely different four weeks after the same haircut. The barber therefore does not promise that a haircut will last exactly a month, and states the goal differently: a readable silhouette, controlled accumulation of mass and a predictable transition to the next phase. The main instrument is the Bailenko Growth Map, which links five parameters for each zone: current length, direction, mass, critical length and forecast [3].

Principle. We do not stop growth. We design its visual consequences [3].

Practice. Photograph Day 0 without product and after the client's usual home styling. Compare which part of the form depends on technique and which on styling [3].

15. Critical Length

Critical length is not a universal number. It is the point after which a zone begins to behave differently [3]. Before it the form is stable; after it the direction, volume, connection or contour changes. For one client the critical point of the temple comes when the hair starts to stand away from the head, for another when the side mass joins the top and widens the head. On the beard it may be the moment when the lower line loses definition. Figure 9 is a schematic, not a measurement: it shows why a cowlick is often quiet when it is very short or long enough to be held by weight, and active in between [3].




Figure 9. Schematic of critical length in a cowlick zone (author's schematic)

For a cowlick the barber first defines the direction of the spiral, its center and the neighboring areas that support or oppose the movement, and then decides whether to pass the critical phase short or to leave enough length for weight to hold the direction until the next visit [3]. The temples show grow-out early around the ear and the temporal prominence, and a smooth distribution of mass ages more calmly than a sharp border. The neckline is one of the first places where a client notices grow-out; an artificially raised line looks clean on Day 0 but creates a double contour later. The frontal zone reaches its critical length when a strand stops supporting the chosen line or covers the face more than intended [3]. Critical length is determined in retrospect from photographs and becomes a practical guide after two or three cycles.

Practice. Fill in the Growth Map for five zones: front, temples, parietal ridge, occiput and neckline. At the next visit mark where the forecast was wrong [3].

16. Mass and Contrast through Time

The first visual heaviness does not necessarily appear where hair grows faster. More often it appears where high density, a coarse diameter and a short starting length quickly turn the surface into a dark patch [3]. The parietal ridge joins the top and the sides, so mass accumulating there changes the silhouette of the head quickly. The occiput changes in two directions: the short lower part darkens and the longer upper part gains volume, and a heavy horizontal can appear between them. On the top, grow-out shows mainly through movement, so the form is designed for the way the client actually dries his hair [3].

A fade passes through recognizable states. On Day 0 the eye is sensitive to the cleanliness of the gradient, but that cleanliness is not permanent. After about a week the fade usually loses part of the contrast between skin and hair and the lower zone becomes darker. In the second and third week it stops reading as a fresh gradient and becomes part of a short form, and the quality of the connection with the parietal ridge and the occiput becomes visible [3]. Table 6 compares the levels of fade on this time scale.

Table 6. Fade levels through time (author's schematic)

Level	Day 0	About Day 7	Day 14 to 21	Suits
Low	Clean bottom, main side mass kept higher	Lower zone darkens	Reads as a short side; the connection decides the result	Three-week cycles and calmer change
Mid	Must be tied precisely to the parietal ridge	Contrast decreases	Hidden weight lines show if the connection is off	Clients who want clean sides on a moderate cycle
High	Side becomes uniform quickly	Darkening raises the visual weight	Depends strongly on head shape and the top connection	Frequent visits
Taper	Cleans temples and neckline, keeps side mass	Edges soften	Stays natural if the side mass suits the face	Long cycles without full fade maintenance

Scissors form age in their own way [3]. With graduation the weight line can drop, widen or become more visible. Layers change the relation between short and long areas, so a connected structure usually ages more predictably than aggressive removal of internal lengths. A disconnection needs a decision about the end of the cycle: whether the gap stays, softens or turns into a connection for a time. Excessive texturizing can work on Day 0 and give fluffiness or transparent ends later, and a hard geometric perimeter shows the loss of precision sooner than a softer one.

Practice. Before choosing the fade level, picture Day 0 and also the future line of maximum mass after two to three weeks [3].

17. Designing the Visit Cycle

Visit frequency should influence the initial decision [3]. If the client comes rarely, sharp contrast and a hard line betray grow-out sooner; if visits are frequent, solutions designed for a short cycle are possible. Table 7 sets out four client profiles.

Table 7. Client profiles by visit cycle (author's schematic)

Client	Design latitude	Main control point	Priority	Next-visit marker
Every two weeks	Higher contrast and precise contours	Day 7, the middle of the cycle	Avoid removing extra length at every visit	Freshness of the contour
Every three to four weeks	Mass accumulation and balance shift are visible	Day 14 to 21	Calm aging of temples, occiput and parietal ridge	Ask which week looked right and design toward it
Every six weeks	A transition between several visual states	Day 21 onward	A structure that can become a longer form; connections, cowlicks, ears	Grown but not random
No regular schedule	A stable base without fixed-day corrections	Photos at each visit	Natural lines and calm mass; what the client does at home	Temples widen, front loses control, beard shifts balance

The next visit is planned by the expected point at which balance is lost as well as by the calendar. The barber explains an observable marker to the client, for example when this zone starts to stand out or when the front no longer holds its direction. This language makes maintenance understandable without false precision, and after several cycles the range turns into a personal service rhythm [3].

Practice. For a client with rare visits, write down which elements of the form must stay convincing after the fresh contour is gone [3].

PART VI. CONSULTATION, DOCUMENTATION AND CONTROL

18. Consultation without Evaluative Labels

A useful consultation turns a subjective request into a technical brief. Before choosing a tool, the barber asks about the desired image, daily styling, appointment frequency, reference photographs and acceptable maintenance. Observations are phrased without judgments of the client's face. Awareness of facial asymmetry should not be presumed; research shows that observers' detection thresholds vary by training and by the feature being judged [9; 10]. An individual approach also accords with Xiao et al.'s finding that customer value co-creation was associated with loyalty in the specific sample of Ghanaian hair-salon customers they studied [2]. Table 8 combines the form, perception and time questions into one consultation card.

Table 8. Integrated consultation and mapping card (author's schematic)

Stage	Fields to fill in
Face	Main focal point; vertical and horizontal; upper, middle and lower third; asymmetry and features; what the client wants to emphasize; what he wants to soften; the desired visual change in one sentence
Head	Head shape; flat and prominent zones; parietal ridge; occiput; temples
Growth	Growth direction and cowlicks; density, diameter and texture; hairline
Technique	Plan of length and mass; height of the transition and connection; main and supporting optical tool
Time	Visit interval; home styling; critical zones and the expected first change; next-visit marker
Balance	Final check in front, profile and three-quarter view; note for the next visit

Practice. Conduct a consultation without a tool in your hands, and replace five evaluative phrases with neutral professional wording [1; 2].

19. Documentation

Photographs allow the barber to compare a design objective with the actual result and its later grow-out. This manual proposes a consistent series: front and profile views at the same camera height, distance and lighting; additional three-quarter and rear views; and hair shown both naturally and after final styling. Photographs should not be retouched to change the hairline, ears, jaw or visible density. The importance of reproducible imaging has also been addressed in dermatology: Pathoulas et al. [20] evaluated standardized scalp photography in relation to patients' perceptions of hair-loss severity and treatment. A barber's record is a professional monitoring tool and should not be described as a validated clinical diagnostic protocol.

The proposed 0/7/14/21/30-day photo protocol turns impressions into observations. The checkpoints are optional, not biological milestones. At each point the barber notes where mass has appeared, how direction has changed and which zone first lost the planned balance. The Growth Score is an author-defined teaching rubric for comparing one haircut across its visit cycle; it does not measure hair health or a client's appearance. Table 9 proposes the scoring anchors used in this manual.

Table 9. Growth Score sheet with proposed anchors (author's schematic)

Criterion	0	1	2
Silhouette	Random heavy or empty zones	Readable, one zone drifting	Reads as designed for this stage
Contour	Double or broken line	Soft but coherent	Intentional and clean for this stage
Mass distribution	A shelf or a hole	One zone starts to dominate	Weight sits where planned
Home manageability	The client cannot reproduce the styling	Needs extra time or product	Styled in the client's usual routine
Fit to the face	Works against the agreed objective	Neutral	Supports the agreed objective

A total of 0 to 10 is meaningful only when accompanied by observations and comparable photographs. The client map records haircuts, visits, images and critical zones. Common sources of error include inconsistent photography, treating one cycle as conclusive and assigning false precision to naturally variable hair growth. The Growth Score remains an unvalidated instructional measure, not a clinical scale.

Practice. Document one client over two consecutive visits with the 0/7/14/21/30 protocol and write down one observation that will change your next technical decision [3].

20. Final Control

The final check returns the practitioner to the agreed design objective. A precise fade or outline is insufficient if it produces an unwanted overall visual effect. Table 10 combines the form, perception and grow-out checks into a single proposed sequence from the first cut to the client's departure.

Table 10. Integrated control checklist (author's schematic)

Moment	Check
Before the first cut	The visual objective is defined by the face; the relief of the head is checked; changes of growth direction are found; it is clear where mass must stay; length and maintenance are agreed with the client; technique is chosen after these decisions

Form	Front: the form improves or keeps the needed proportion. Profile: occiput and frontal zone are balanced. Three-quarter: the transition between top and side has no random angles. Dry state: no holes or random heaviness. The client can reproduce the styling
Perception	Front, profile, three-quarter view and movement; one sentence about the result; did the result match the objective agreed before the work?
Time	Which zone will turn heavy first? Where will the contour lose definition? Is there a cowlick that activates at an intermediate length? How will the frame of the face change? Does the form match the real visit interval?

If these questions have concrete answers, the haircut has a plan for time. If the answers come down to waiting to see how it grows, the Growth Map is not finished [3]. Small details are corrected only after the barber is sure they really disturb the overall result [1].

PART VII. TEACHING AND PRACTICE

21. Teaching the Method

A method can be taught when each decision is explicit and can be inspected. The proposed teaching sequence is diagnosis, demonstration on a mannequin, practice with a model and reflection. Students explain the observation, design objective and technical choice. Timing is learned by comparing a forecast of the haircut's grow-out with repeated photographs rather than with one idealized final image. The 2022 U.S. labor data reported by Hale and Farrell [1] support the vocational relevance of barbering; they do not demonstrate the educational effectiveness of this particular curriculum. Table 11 organizes the manual's three teaching strands.

Table 11. Integrated training program (author's schematic)

Module	Content	Output
1	Face analysis without cutting: thirds, focal point, contrast	Written visual objective
2	Vertical, horizontal and compositions without labels	Two alternative sketches
3	Head architecture and the mass map	Mass map of a model
4	Growth map, cowlicks, density and diameter	Growth map with safe lengths
5	Scissor geometry: elevation, graduation, layering	Training sections compared dry
6	Clippers, fade levels and scissor over comb	Fade height justified by the silhouette
7	Beard, mustache, glasses and color as optical tools	Beard scheme for front and profile
8	Asymmetry and the zone map	Strategy for each of seven zones
9	Grow-out: Growth Map, critical length, cycle design	Forecast for Day 7, 14, 21 and 30
10	Integration: Bailenko Mapping on a model with written analysis	Completed mapping card
11	Documentation, Growth Score and self-assessment	Two documented cycles

22. Teaching Models

The models below are decision exercises and not documented client cases [2; 3]. Each shows how the three layers work on one head. A table is used so that the models can be compared line by line.

Table 12. Teaching models of the method (author's schematic)

Model	Objective	Plan	Time risk and check
Elongated face	Reduce total vertical	Lower, directed top; keep side support; short beard under the chin	Top regains height as it grows; check Day 14 in profile
Recession and fine hair	Less contrast at the corners	Work with existing line; soft outline; no heavy thinning	Transparency appears if support is removed
Prominent ears	Calm lateral points	Keep some temple mass instead of a zero transition	Mass over the ear widens the head after weeks; check three-quarter view
Weak lower third	Add weight below	Short wide beard connected to the temples	Beard grows faster than the cut changes; align the two cycles
Short crop for 30 days	Readable front without a heavy cap	Control density of front, ridge and occiput	Mass may gather in the front half by Day 21 to 30
Low fade for 21 days	Clean bottom, calm silhouette	Main side mass higher; precise connection	If heaviness comes early, adjust starting density, not fade height

Crown cowlick, four-week cycle	Pass the intermediate length	Leave more weight or keep the zone short on purpose	Avoid an isolated standing island
Beard and haircut	Balance of upper and lower mass	Beard shorter on Day 0 if it grows faster	Compare the whole frame of the face on photos

Research on one's own work starts with a repeatable protocol and the client's consent to photography. The forecast is written before the result is seen, otherwise it is easy to adjust the explanation afterward. Such work builds a professional base of observations; it should not be called scientific research without the corresponding methodology [3].

CONCLUSION

The Bailenko Method starts with the face and ends with balance. Between them are the head's contours, the direction of hair growth and the techniques used to create a deliberate silhouette. Its optical layer asks what a viewer may notice and which adjustments the client prefers. Its grow-out layer treats the weeks between appointments as part of the design problem. These are the author's integrated professional proposals, not claims of controlled validation.

Together, the three layers give practitioners a repeatable structure for consultation, design, execution and follow-up. Research on facial variation, hairlines, scalp density and hair growth informs the framework, but does not establish a universally correct fade height, temple outline, texture or visit interval. Each decision remains subject to the client's goals and the observed behavior of the hair.

Glossary

Term	Meaning in this manual
Architecture of form	Distribution of length, mass and direction that creates a planned silhouette
Balance	Agreement of face, head, hair and beard in one composition
Bailenko Mapping	The sequence Face, Head, Growth, Technique, Balance
Optical Map	The sequence Feature, Effect, Mass, Direction, Contrast, Correction
Growth Map	Zone-by-zone record of current length, direction, mass, critical length and forecast
Critical length	The individual point after which a zone begins to behave differently
Visual focal point	The area that draws attention first through contrast, position or mass
Mass	Visual weight created by the amount, density and placement of hair
Direction	The vector along which the eye reads the movement of hair, line or form
Contrast	Difference between neighboring zones in tone, density, length, texture or sharpness of border
Frame	The contour of hair and beard around the face
Correction	A deliberate change of visual effect without claiming the original feature is a flaw
Elevation	Angle at which a section is lifted from the head
Graduation	Distribution of length with accumulation of weight
Layering	Distribution of length in layers for movement and change of weight
Fade	Gradation of length from short to longer
Taper	Cleaning of temples and neckline with side mass kept
Parietal ridge	Transition from the side surface of the head to the top
Weight line	Border of visual weight accumulation
Guide	Control strand or control length
Cross-check	Check of the geometry in the alternative direction
Disconnect	Deliberate absence of a direct connection between zones
Growth Score	Simple scale comparing the stability of one form over time

REFERENCES

1. Hale, N., & Farrell, R. (2024, February). Fast-growing occupations with high rates of self-employment. Career Outlook, U.S. Bureau of Labor Statistics. https://www.bls.gov/careeroutlook/2024/data-on-display/self-employed.htm

2. Xiao, W., Opata, C. N., Tetteh, S., Narh, T.-W. J., & Hinson, R. E. (2020). Value co-creation effects on transaction cost, relational capital, and loyalty of hair salon customers: Results and implications of a Ghanaian study. Journal of Psychology in Africa, 30(3), 217–224. https://doi.org/10.1080/14330237.2020.1767927

3. Palmer, K. N. B., Rivers, P. S., Melton, F. L., McClelland, D. J., Hatcher, J., Marrero, D. G., Thomson, C. A., & Garcia, D.

O. (2021). Health promotion interventions for African Americans delivered in U.S. barbershops and hair salons: A systematic review. BMC Public Health, 21, 1553. https://doi.org/10.1186/s12889-021-11584-0

4. Thompson, S. J., Foulsham, T., Leekam, S. R., & Jones, C. R. G. (2019). Attention to the face is characterised by a difficult to inhibit first fixation to the eyes. Acta Psychologica, 193, 229–238. https://doi.org/10.1016/j.actpsy.2019.01.006

5. Wade, T. J., Fisher, M. L., & Burch, R. L. (2022). Toupee or not toupee?: Cranial hair and perceptions of men's attractiveness, personality, and other evolutionary relevant traits. Evolutionary Psychological Science, 8(2), 196–207. https://doi.org/10.1007/s40806-021-00303-y

6. Dixson, B. J. W., Barkhuizen, C. L., & Craig, B. M. (2021). Beards increase the speed, accuracy, and explicit judgments of facial threat. Adaptive Human Behavior and Physiology, 7(4), 347–362. https://doi.org/10.1007/s40750-021-00169-1

7. Wu, Z., Gao, X., Long, H., & Lai, W. (2022). Quantitative analysis of facial symmetry by using three-dimensional technology. BMC Oral Health, 22, 277. https://doi.org/10.1186/s12903-022-02315-x

8. Harnádková, K., Kočandrlová, K., Kožejová Jaklová, L., Dupej, J., & Velemínská, J. (2023). The effect of sex and age on facial shape directional asymmetry in adults: A 3D landmarks-based method study. PLoS ONE, 18(8), e0288702. https://doi.org/10.1371/journal.pone.0288702

9. Alrbata, R. H., Alfaqih, A. K., Almhaidat, M. R., & Al-Tarawneh, A. M. (2020). Thresholds of abnormality perception in facial esthetics among laypersons and dental professionals: Frontal esthetics. International Journal of Dentistry, 2020, 8946063. https://doi.org/10.1155/2020/8946063

10. Zhang, M., Lyu, L., Li, J., Yan, H., Zhu, Y., Yu, T., Wang, Y., Zhao, Y., Zhou, Y., & Liu, D. (2023). Subjective evaluation of facial asymmetry with three-dimensional simulated images among the orthodontists and laypersons: A cross-sectional study. BMC Oral Health, 23, 500. https://doi.org/10.1186/s12903-023-03167-9

11. Harun, N. A., Adam, K. B. C., Abdullah, N. A., & Rusli, N. (2023). Is a symmetrical face really attractive? International Journal of Oral and Maxillofacial Surgery, 52(6), 703–709. https://doi.org/10.1016/j.ijom.2022.09.031

12. Nagaishi, M., Fujii, Y., Sugiura, Y., & Suzuki, K. (2021). Skull shape abnormalities in ischemic cerebrovascular and mental diseases in adults. Scientific Reports, 11, 17616. https://doi.org/10.1038/s41598-021-97054-4

13. Kashiyama, K., Haraguchi, R., Ban, F., Yoshida, D., Fukuda, M., Date, N., Koga, K., Koga, K., & Tanaka, K. (2021). Study of frontal and temporal hairline patterns in Japanese subjects. Plastic and Reconstructive Surgery Global Open, 9(8), e3751. https://doi.org/10.1097/GOX.0000000000003751

14. Luo, J., Huang, H., Qiao, H., Tan, J., Chen, W., Zhang, M., Ruiz-Linares, A., Wang, J., Yang, Y., Jin, L., Headon, D. J., & Wang, S. (2023). GWASs identify genetic loci associated with human scalp hair whorl direction. Journal of Investigative Dermatology, 143(10), 2065–2068.e10. https://doi.org/10.1016/j.jid.2023.04.008

15. Zhang, J., Iftikhar, H., Shah, P., & Luximon, Y. (2022). Age and sex factors integrated 3D statistical models of adults' heads. International Journal of Industrial Ergonomics, 90, 103321. https://doi.org/10.1016/j.ergon.2022.103321

16. Alsharif, S. H., & AlGhamdi, K. M. (2022). Evaluation of scalp hair density and diameter in the Arab population: Clinical office-based phototrichogram analysis. Clinical, Cosmetic and Investigational Dermatology, 15, 2737–2743. https://doi.org/10.2147/CCID.S394045

17. Frith, H., & Jankowski, G. S. (2023, August 21; first published online). Psychosocial impact of androgenetic alopecia on men: A systematic review and meta-analysis. Psychology, Health & Medicine. https://doi.org/10.1080/13548506.2023.2242049

18. Gillece, T., Senak, L., & McMullen, R. L. (2021). Characterization of bleached hair: Vibrational spectroscopy, thermal analysis, and determination of equivalent damage factor. Journal of Cosmetic Science, 72(5), 519–546. https://library.scconline.org/v072n05/28

19. Natarelli, N., Gahoonia, N., & Sivamani, R. K. (2023). Integrative and mechanistic approach to the hair growth cycle and hair loss. Journal of Clinical Medicine, 12(3), 893. https://doi.org/10.3390/jcm12030893

20. Pathoulas, J. T., Flanagan, K. E., Walker, C. J., Pupo Wiss, I. M., Azimi, E., & Senna, M. M. (2021). Evaluation of standardized scalp photography on patient perception of hair loss severity, anxiety, and treatment. Journal of the American Academy of Dermatology, 85(6), 1640–1641. https://doi.org/10.1016/j.jaad.2020.12.059

Citation: Viktor Bailenko, "The Bailenko Method - Architecture of Men's Haircutting: Form, Face and Grow-Out", Universal Library of Arts and Humanities, 2024; 1(1): 51-66. DOI: https://doi.org/10.70315/uloap.ulahu.2024.0101010.

Copyright: © 2024 The Author(s). This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.